Aarhus School of Architecture // Design School Kolding // Royal Danish Academy

Collective Interaction

Krogh, Peter Gall; Petersen, Marianne Graves

Published in: Proceedings of the 8th International Conference on the Design of Cooperative Systems

Publication date: 2008

Document Version: Publisher's PDF, also known as Version of record

Link to publication

Citation for pulished version (APA): Krogh, P. G., & Petersen, M. G. (2008). Collective Interaction: let's join forces. In Proceedings of the 8th International Conference on the Design of Cooperative Systems

General rights Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- You may not further distribute the material or use it for any profit-making activity or commercial gain
 You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



Designskolen Kolding



Collective Interaction – Let's join forces

ABSTRACT

In this paper we introduce the concept of Collective Interaction. Collective Interaction involves designing for co-experiences among co-located people sharing collective resources for controlling interfaces. The particular approach we explore in this paper is to instrumentalize collaboration, such that the interaction itself is a matter of collective action. To illustrate this we provide an interaction model and a definition of Collective Interaction, and present two design cases based on this model one in the context of a public library- and one in a home-context. We outline design rationales, and discuss experiences from trial use of the prototypes.

1. MOTIVATION

Collective interaction happens often in everyday life, e.g. when two people coordinate their actions to carry a heavy object together, or when, for safety reasons, it is required that at there are two people working together, when dealing with nuclear explosives.

However, few interactive systems are designed to support collective interaction, in the sense we propose it here. Collective Interaction is a matter of instrumentalizing collaboration such that the actual, physical interaction with one application involves colocated cooperation. A part from the obvious seriousness in safety systems Collective Interaction exhibits playful aspects that facilitate communication among co-located people beyond what can be experienced in game-like environments. Collective Interaction takes departure in users negotiating a shared goal for the interaction and sharing the interaction mechanisms for achieving the goal. Collective Interaction does not imply an ideal of efficiency, but rather an ideal of extended sociality beyond the actual interactive system, sociality by the system rather than through the system.

In line with the work presented here Hindmarsh [3] also identifies the potential in designing to encourage interaction between people as a largely overlooked issue in current interactive systems. To further explore the qualities of this type of interaction, we have developed the concept of Collective Interaction and designed a set of prototypes based on this concept in the domains of libraries and homes. Based on our experiences with the prototypes we claim that the interaction model can be a vehicle and an attractive path into adopting playful activities in domains beyond gaming. We start out by presenting the model of Collective Interaction, building upon an earlier interaction model for shared group displays [10], but depicting a closer collaboration model than this model depicts. Our focus on instrumentalizing collaboration is well in line with an emerging interest in shared and co-created user experience, and in the following section we position our work in this landscape as well as a sparse set of emerging Collective Interaction design concepts, and we discuss related concepts Next we describe two cases of designing for the proposed interaction model. We outline their design rationales, discuss and reflect upon use experiences from their applications in real life contexts. Based on this we identify a set of design sensibilities to consider when designing Collective Interaction environments. Finally, we discuss future work.

2. COLLECTIVE INTERACTION

Single display groupware (SDG) [10], has been proposed as an interaction model, focusing on designing to support collaborative work among co-located people. In the SDG model, each user has a separate input channel, and all users share an output channel, as illustrated in figure 1. Stewart et al. [ibid], define input and output channels as channels that provide logically independent input to the computer and output to the users. They focus on keyboard and mouse in combination as one logical input device and output in the form of a display. In SDGs, users may independently provide input to a system, whereas in our model of Collective Interaction, we propose a closer collaboration model than the SDG depicts. SDG's and Collective Interaction can be seen as two strands within the overarching concept of Sharable Interfaces [9]. Collective Interaction, as defined here is when users share not only the output channel but also the input channel.

We define Collective Interaction in the following way:

Collective Interaction is when multiple and collocated users share both one logical input channel and one logical output channel. The input channel may consist of a number of interaction instruments, which are logically coupled in the interaction.

Thus Collective Interaction requires more than one user for controlling and taking full advantage of the system. Through their interaction, the users must actively coordinate their actions towards a shared goal.

The purpose of a collective interaction system is to force people to negotiate a shared goal. The actual use of the system can either be to achieve the goal or tease one another by working against and prohibiting the achievement of the goal. We can further draw upon Bardram's use of activity theory [1] to illustrate the difference between the SDG interaction model and the Collective Interaction model. Based on activity theory Bardram [ibid] identifies a three level hierarchical structure of a collaborative activity and uses these levels to distinguish between different forms of distributed collaboration in work situations. The three levels are co-ordinated, co-operative, and co-constructive levels of activity.

For our purpose here, we apply Bardram's level of cooperation to denote the collective action around the shared objective. We are not suggesting, that there is a one-to-one correspondence between level of collaboration and interaction model. Level of collaboration can only be studied in concrete situations, and in the case where people for the first time selects and experimentally adopts a system based on the Collective Interaction model, they may be collaborating on a co-constructive level, even though it is a SDG-based system. However, we do suggest that inherently, the SDG interaction model lends itself towards coordinate interaction (where people have different foci and different goals) whereas the Collective Interaction model necessarily implies the negotiation of a shared goal, as the interaction itself involves negotiating the physical actions of different people. This is exemplified in recent research, which has investigated means for avoiding interference between users of SDG's [12]. On the contrary, the intention behind the interaction model proposed here is to establish means for bringing people together and to let them establish common goals and engage in playful activities, which necessarily involve interfering with one another.

To sum up the key characteristics of Collective Interaction:

- 1. The interaction itself invites for human-human interaction beyond what is in the interface potentially deviating discussions from what is displayed
- 2. The spatial organisation of people induces expectations of use
- 3. A shared goal is established on the basis of sharing responsibility and negotiating control of interaction
- 4. Establishing shared goal through negotiation is essential both in order to achieve it and in order to challenge and thereby tease other participants.
- 5. The interaction may be asymmetrical, in the sense people take on different rolles, but the efforts of all participating are accounted for and valued in the use of the system.

Obviously the application of Collective Interaction has its limitations, and as we discuss later, there are both advantages and disadvantages to such a model.

3. RELATED WORK

In the following, we outline how our work is a design oriented approach to shaping experience in co-located social contexts, and how this is well in line with a demand for looking into social experiences, which has been raised in the experience design area.

Forlizzi and Battarbee have proposed co-experience partly as a criticism of the highly individualistic approach to experience design [4]. They offer a framework for understanding different types of experiences in relation to the design of interactive systems. In their framework, co-experience is one type of experience, namely user experience in social contexts [ibid]. Forlizzi and Battarbee [4] argue that interactive technology can play an important role in supporting co-experience. We sympathize with the criticism raised by Forlizzi and Battarbee [ibid], and where they focus mainly on how technologies per se can support co-experiences, our interest is to investigate how we can design technologies that invite co-experience by their design. Our thesis is that Collective Interaction is one means among others in this direction.

Ludvigsen [6] also introduces a framework of interaction in social situations. He suggests this framework as providing a scale of engagement ranging from at the lowest level 'distributed attention' where the only thing shared is the presence in the space, virtual or physical. 'Shared focus' is where the situation develops a single focus shared among its participants. 'Dialogue' in turn is where people invest themselves and their opinions in a dialogue visible to all participants. Finally, 'collective action' is the socially most engaging interaction. This is where participants are working collaboratively towards a shared goal. Ludvigsen [ibid] argues that such collective experiences are often remarkable experiences, which stand out and are remembered. In line with Forlizzi and Battarbee [4], Ludvigsen [6] makes no distinction between collocated social experiences and social experiences that are mediated by digital or virtual spaces. In our research we focus on co-located users and we find the frameworks operational in qualifying the type of experiences we aim to design for, namely co-experiences [4] or in Ludvigsen's terms collective actions [6]. But notably we do this through focusing on designing for such experiences in co-located situations.

4. DESIGN CASES

In the following, we present two selected concepts from our research projects to illustrate the model of Collective Interaction more in depth. Both concepts include concrete instances of how collaboration is instrumentalized.

4.1 iFloor

The intention with the design is to pursue a richer social environment that facilitates users in contacting one another and raise awareness that apart from librarians other library visitors can be knowledge resources too. According to this we chose the floor as display surface in order to make it as generally accessible and sharable as possible and pursued an interaction model that is inadequate for single use and encourages contact with other colocated visitors and the involvement of several people in interacting with the installation.

The design response was an interactive Q/A floor (figure 3), the iFloor [5]. with the intention to bring visitors in the library together and spurring conversation and fruitful happenstance encounters. The Q/A's are pushed to the floor using individual mobile phones or email clients, and are displayed in the floor interface in an extending circular pattern pivoting on the center of the display to avoid creating a privileged view-point and rather making any viewing direction possible (see figure 3). For interacting with the floor and navigating between the various messages send to the floor visitors collectively move one cursor. In order to hit an area of interest on the floor, people need to coordinate their body movements around the floor. When the prototype is attempted to be operated by a single user the cursor will be attracted to the rim of the display and thereby give no chance for exploring the whole interface, whereas if two or more persons are collaborating on moving the shared cursor the different direction and strength in attracting forces is calculated into a middle-value allowing the whole interface to be explored. Tiny graphic strings in the interface connected the people's



Figure 3: iFloor in context

position at the rim of the display and the cursor providing a clue of connection and control. As the cursor roll over Q/A's in the interface, the messages enlarge and comments to questions are revealed along with a tool-tip box informing people how to ask and respond to questions. On the basis of this people negotiated where to move in order to move the cursor to a shared goal.

The floor was installed over a three-week period in a public library setting. In the qualitative evaluation of the prototype [5], we found that the iFloor promoted a sort of "step stone wonder and learn process" as follows: the interface of the floor would react as soon as someone entered the tracking area surrounding the floor, the movement of the cursor would attract peoples attention causing one to stop and start exploring what it might be. With one person using the floor, others were attracted and soon discussions started to evolve around what the installation might be for and how it could be controlled. Furthermore the floor display and the organization of people around the display supported quick and easy shifts between human-computer-interaction and humanhuman interaction as one could gaze to acknowledge and chat with participants without loosing contact and view of the interface in the periphery.

The prototype combines the interaction model of SDG in terms of how the content is send to the floor, namely by using individual input channels in relation (mobile phones and email clients) to a shared output channel whereas the instrumentalization of collaboration is apparent in the interaction with the content displayed on the floor and how it is navigated by the use of one shared cursor.

4.2 Squeeze

The motivation behind Squeeze is to create playful means of constructing and experiencing the immediate conception and as time pass the history of a home. Squeeze consists of a house-camera and an oversized and interactive sack chair (figure 4), which is a site for collective and playful exploration of the history of the home as captured through the pictures taken with the house camera. An image captured by the house camera is automatically put on display on a wall close to the 'chair'. When people sit/hang out/mock about in the furniture, the pictures can be explored in different ways. As explained in the following, the Collective Interaction model has guided the interaction design.

First the whole furniture reacts on deformation through displaying more pictures at a time, as e.g. in figure 7 where 4 pictures are displayed at a time. The more activity on different places of the furniture, i.e. the more people in the furniture, the pictures are displayed. This is enabled by Piezo cable which is wrapped around the furniture. The means of moving back and forth in time consists of two active zones positioned in each their end of the 6meter long, and malleable furniture. Thus to navigate the pictures, the participating people need to negotiate the navigation between them, potentially verbally but also to manifest it in their collective interaction with the furniture. Moreover, also in each end of the furniture, another active zone allows users to stretch and rotate the pictures through squeezing the furniture. Through distributing the controls over the larger-than-one-person surface of the furniture, users need to cooperate in the detailed physical interaction with the pictures.

Squeeze has been put on trial use in three families. The focus of the evaluation was to observe how the key characteristics of Collective Interaction might play out in the immediate use. Making the whole furniture sensitive to activity and thus to showing more pictures at a time invited, in particular the children (between 2 and 9), to act actively and cooperatively this as a shared goal. The families shifted a lot between interacting to get new and more pictures put on display and storytelling and pointing engaging with the contents of the pictures and notably each other. Due to the flexible nature of the furniture it was easy to shift positions and to face both the contents on the wall and other family members.

In general the families were intrigued by the active and embodied interaction with the pictures provided by the prototype. However, the means for navigating back and forth, stretching and rotating did not work very successful. It was troublesome for users to know who was navigating one way and who was navigating the other way. The lack of control was intended as a teasing element, but turned out in use to be frustrating. At this stage we hypothesize that it would have been easier to establish the kind of playful aspect, if the effect of the individual's interaction would be clear to all participants and thus easier to cooperate and negotiate on.

The Squeeze prototype combines the interaction model of SDG in terms of how pictures are taken in the home, namely by using an individual input channel (the in-house camera) in relation to a shared output channel whereas the instrumentalization of collaboration is apparent in the interaction with the sack-chair manipulating the images displayed on the wall.

5. DISCUSSIONS AND REFLECTIONS

The possibilities to embed sensor and actuator

technologies in the physical

environment and in design this way interactive spaces and furniture, open for up new challenges and possibilities to design for shared experiences among collocated people. supports It collective exploration of the



Figure 7. The 'chair' and displays of pictures on the wall.

materials instead of having co-experiences through in turn watching others being active. iFloor and Squeeze both exemplifies how these large-scale interactive surfaces hold a rich potential for designing for collective interaction and co-experiences.

As the interaction model of shared input and output as well as the exemplar concepts suggest, there are both advantages and disadvantages associated with Collective Interaction. The advantage of Collective Interaction consists primarily of the potential in shaping co-experiences, and in bringing people together in new ways, opening up for embracing more ludic opportunities and embedding these in everyday life [2]. Instead of offering an efficient way of exploring materials, the interaction model provides means of negotiating interests and supporting serendipitous and playful navigation. The disadvantage of this model of interaction is of course that it is potentially inefficient and imprecise.

Both of the prototypes presented in the above combines the interaction model of SDG for providing input to the system and Collective Interaction for navigating the content. In the Squeeze case the combination works well whereas the use of mobile phones for providing input in the iFloor case is regarded cumbersome. At this point we hypothesize that though the concepts involves users to shift between interaction models it is not the shifting that is the primary cause of breakdown, but merely we see it as an issue of designing a coherent level of accessibility and anticipated use efforts across the involved models. Where the iFloor prototype is immediately and effortlessly accessible for navigation, the Squeeze prototype demands intense physical activity. New content in Squeeze is simply produced by picking up the house-camera and capturing an image, whereas sending input to the iFloor causes the user to step out of the interaction loop around the floor and concentrate on punching in and sending a text message. Normally sending text messages is considered easy, but in combination and comparison with the effortless access to the floor it was experienced too cumbersome. This indicates that when designing interactive systems involving two or more interaction models the level of anticipated user efforts and accessibility in interaction should be considered carefully in a holistic view of the total system.

The presented concepts are in physical terms large interactive systems providing physical room for several participants. IT systems consciously designed for Collective Interaction take in spatial considerations as they facilitate several co-located people to interact simultaneously. Architecture is not primarily concerned with the individual user, but with how spaces and places facilitate collective use. Collective Interaction shares characteristics and qualities with architecture and interior design as these disciplines too provide frames and settings for people's social life; promotes and invites for various ways of being, playing and working together, as McCullough [7] writes: "Architecture serves the body not just the gaze. It is not just perceived it is inhabited". Collective Interaction may potentially be a shared design subject between the traditions of human-computer interaction and architecture as it draws extensively on the design knowledge from both traditions. However more work is needed to determine the applicability of the interface model in larger contexts such as city plazas; what design challenges, constraints and possibilities will emerge if a range of Collective Interaction interfaces were deployed as the primary model of interaction for e.g. an exhibition?

Collective Interaction encourages people in establishing a shared goal of interaction. As indicated in the cases cooperating on a shared goal also provide room for individuals to break the rules, teasing and preventing others from reaching the goal. However, both for teasing and collaboration, shared awareness of controls and what they do are criteria of success. The prototypes of iFloor and Squeeze encourage sharing responsibility, both on the level that any participant is needed, affects the system and in the sense that all should be willing to react upon request of others in terms of doing specific actions to achieve a shared goal or the goal defined by one of the participants; thus the systems instrumentalize interaction.

6. CONCLUSION

Provoked by current trends in technology development and grounded in design cases, we have pointed to the prospects of designing for social experiences amongst co-located people. We have coined a model of Collective Interaction to complement previous work and we have suggested this as a concrete vehicle in designing for social experiences, and we put this model in perspective with respect to experience frameworks and architecture.

Through providing examples of Collective Interaction concepts for the home and a library context we believe that this model can encourage interaction design for social experiences in domains and situations that benefit from playful approaches. In particular the instrumentalization of cooperation show promises in learning environments such as schools and museums where collaboration and human-human interaction is required if not mandatory for accessing and understanding complex concepts consisting of intertwined entities reacting upon one another e.g. natural processes, historic events, political negotiations etc. Finally, we suggest that the discipline of architecture has much to offer, when designing for collective interaction and atmospheres for collaboration, as architecture provides a long tradition for spatially arranging and encouraging social settings.

7. REFERENCES

- Bardram, J. E. (1998): Collaboratior, Coordination, and Computer Support: An Activity Theoretical Approach to the Design of Computer Supported Cooperative Work Ph.D. Thesis, Daimi PB-533, Aarhus: Aarhus University.
- Gaver, W. (2002): Designing for Homo Ludens. i3 Magazine, June (2002), pp. 2-5.
- Hindmarsh J., Heath C., Vom Lehn D., Cleverly J., "Creating Assemblies in Public Environments: Social Interaction, Interactive Exhibits and CSCW", Computer Supported Cooperative Work (CSCW), 2005
- 4. Forlizzi, J., and Batterbee, K. (2004) Understanding Experience in Interactive Systems. In Proceedings of DIS 2004. ACM Press, pp. 261-268.
- Krogh, P.G., Ludvigsen, M., Lykke-Olesen, A.: "Help me pull that cursor" - A Collaborative Interactive Floor Enhancing Community Interaction. In proceedings of OZCHI 2004, 22-24 November, 2004 at the University of Wollongong, Australia. CD-ROM. ISBN:1 74128 079.
- Ludvigsen, M. (2005) Designing for Social Use in Public Places – a Conceptual Framework of Social Interaction. In Proceedings of Designing Pleasuable Products and Interfaces, DPPI 05, Pp 389-408.
- 7. McCullough, M. : Digital Ground, MIT Press, Cambridge, Massachusetts, USA
- Petersen, M. G. 2007. Squeeze: designing for playful experiences among co-located people in homes. In CHI '07 Extended Abstracts on Human Factors in Computing Systems (San Jose, CA, USA, April 28 - May 03, 2007). CHI '07. ACM Press, New York, NY, 2609-2614.
- Sharp, H., Rogers, Y. and Preece, J. (2006) Interaction Design: beyond human-computer interaction. 2nd edition. John Wiley & sons
- 10.Stewart, J., Bederson, B. B., and Druin, A. (1999) Single Display Groupware: A Model for Co-present Collaboration. In Proceedings of CHI 1999. ACM Press, pp. 286-293.
- 11.Strömberg, H., Väätänen, A., Räty, V. (2002) A group game played in interactive virtual space. Design and Evaluation. In Proceedings of DIS 2002, ACM Press, pp. 56-63.
- 12.Tse, E. Histon, J., Scott, S. D, and Greenberg, S. (2004) Avoiding Interference: How people use spatial separation and partitioning in SDG Workspaces. In Proceedings of CSCW 2004, ACM Press, pp. 252-261.